
COLUMBIA RIVER TREATY
HYDROMETEOROLOGICAL COMMITTEE

2009
ANNUAL
REPORT

January 15, 2010
Prepared by S.Smith BCH



Climate and River Level Monitoring Station, Elk River (Source: BCH)

JANUARY 2010

COLUMBIA RIVER TREATY
HYDROMETEOROLOGICAL COMMITTEE

2009 ANNUAL REPORT

Introduction

The Columbia River Treaty Hydrometeorological Committee (CRTHC) was established in September 1968 by the Entities. The Committee is responsible for planning and monitoring the operation of the hydrometeorological data collection network in accord with the Columbia River Treaty (CRT). It also assists the Entities in matters related to hydrometeorological and water supply forecasting.

This report summarizes Committee activities during the 2009 operating year (October 1, 2008 – September 30, 2009). The Annual Report focuses on:

- action taken on proposed changes to the hydrometeorological monitoring network
- updates to CRT communications and data storage systems
- updates to data exchange requirements
- updates to forecasting procedures
- review of the 2009 CRT water supply forecasts
- other activities of the Committee

The Committee began issuing regular Annual Reports in 2001. General background information on Committee activities contained in the 2001 and 2002

annual reports is now presented in a separate supplemental document. The supplement contains general information that does not typically change from year to year. Appendices in the 2009 supplemental document include:

- Appendix A – Introduction to the Committee terms of reference
- Appendix B – Terms of reference for the CRTHC
- Appendix C – Process for reviewing hydrometeorological data networks
- Appendix D – List of contributors of hydrometeorological data
- Appendix E – Data communication and storage systems
- Appendix F – Data exchange reports
- Appendix G – Treaty studies, models, and forecast requirements

COLUMBIA RIVER TREATY
HYDROMETEOROLOGICAL COMMITTEE

2009 ANNUAL REPORT

Table of Contents

Introduction	i
Table of Contents.....	iii
2009 Annual Summary.....	5
Stations.....	6
Station Network Review for Improved Forecasting	7
Communication and data storage systems.....	8
Data exchange.....	8
Forecasting.....	9
Kootenay Lake Freshet declaration forecast procedure	9
<i>Forecast Verification</i>	11
<i>Climate Change</i>	13
Columbia River Management Joint Operating Committee Columbia Basin Study	13
Pacific Climate Impacts Consortium studies	14
Western Canadian Cryospheric Network Mica Glacier Study	14
Schedule 1 Changes to the hydrometeorological network in 2009	16
<i>Schedule 2 CRTHC Action Items</i>	18

(Note: Italics indicates new sections for 2009)

See 2009 Supplemental Report for a list of Acronyms used in this report

C O L U M B I A R I V E R T R E A T Y
H Y D R O M E T E O R O L O G I C A L C O M M I T T E E

2 0 0 9 A N N U A L R E P O R T

2009 Annual Summary

The Columbia River Treaty Hydrometeorological Committee (CRTHC) was established in September 1968 by the Entities and is responsible for planning and monitoring the operation of hydrometeorological data collection network in accord with the Treaty and otherwise assisting the Entities as needed. The Committee consists of four members as follows:

UNITED STATES SECTION

David Bright*, BPA Co-Chair
Peter Brooks, USACE Co-Chair

CANADIAN SECTION

Stephanie Smith, B.C. Hydro, Chair
Frank Weber*, B.C. Hydro, Member

* There were two changes in the Committee Membership in 2009. Frank Weber replaced Doug Smith as the Canadian Member on November 1, 2008. David Bright replaced Brian Kuepper as the BPA co-chair for the US on August 3, 2009.

The CRTHC met twice in the 2008-2009 water year: on November 3, 2008 in Vancouver and on June 10, 2009 in Portland.

The CRTHC 2007-2008 Annual Report was completed and submitted to the Columbia River Operating Committee (CROTC) in February 2009.

Stations

The Committee process for reviewing proposed changes to the operation of stations within the hydrometeorological network is described in Appendix C of the 2009 Supplemental Report. The process is intended to ensure that changes made to the network do not negatively affect the monitoring, planning, and operations of Treaty facilities. Schedule 1 summarizes the Committee's response to changes to stations of the CRT hydrometeorological network in 2009.

The CRTHC responded to a notice sent in 2008 from the NRCS in the U.S. about a review of the SNOTEL monitoring network and the identification of 9 potential station closures in the network. The CRTHC reviewed the list and responded to the NRCS, and is still awaiting their reply.

The observers at Porthill and Bonners Ferry in Idaho both quit over the summer, and the NWRFC informed CRTHC that they were seeking new observers. Both stations are used by Canada in the Kootenay Lake water supply forecasts, and are considered important to forecasting for the Columbia region. Until the replacement observers are hired, NWRFC is providing their estimated monthly precipitation for the sites to BCH. Temperature estimates for the Porthill station, required for water supply forecasting, are currently not being provided.

The Seattle District office of USACE, BPA and BCH coordinated to install two new water temperature sensors in the Kootenay River at Fort Steele and Elk River at Fernie hydrometric gauging stations to aid in water temperature modeling for Koocanusa reservoir. USACE provided the sensors, BC Hydro arranged for installation and maintenance by Water Survey of Canada at the sites, and BPA will pay for the annual operating costs. The probes were installed in the Fall of 2009.

STATION NETWORK REVIEW FOR IMPROVED FORECASTING

The CRTHC developed a strategy and began drafting a work plan to investigate enhancing the hydrometeorological monitoring network in the Columbia basin, specifically for monitoring real-time snow monitoring. The investigation is currently focused on the relatively data sparse regions in the headwater regions of the Columbia above Mica and Kootenay River above Libby. The Committee is investigating the addition of new monitoring stations along with other options such as upgrading existing sites by converting manual snow courses into automated sites, re-establishing sites that have closed, and/or upgrading satellite communications to permit more frequent data transmission rates. The CRTHC recognizes that establishing more and/or more automated snow monitoring sites does not necessarily result in an automatic improvement in forecasting. Forecasting volumes and streamflows is a complex process involving qualitative as well as quantitative analysis. Furthermore, data demands are driven by the type of forecast model employed currently and in the foreseeable future. The CRTHC is pursuing a network review and will evaluate possible forecasting improvements including a cost-benefit. BCH is a partner in a new provincial climate network coordination effort to better integrate the monitoring networks across BC which could provide access to data from stations already operating in the desired regions by other agencies. The CRTHC will also explore possible funding mechanisms including a partnership in funding between the U.S and BC Hydro.

Communication and data storage systems

The Columbia Basin Telecommunications (CBT), other communication systems, and the Columbia River Operational Hydromet System (CROHMS) are described in Appendix E of the 2009 Supplemental Report. The CBT system, operated by USACE in Portland, is the primary communications system for transmitting data from the Columbia River Treaty hydrometeorological network. Agencies, including the Northwest River Forecast Center (NWRFC), USACE, and BCH, also use other communication systems to exchange data. CROHMS is the central system for collecting and re-distributing hydrometeorological data used to support the operations of Treaty projects.

The USACE new Regional Water Control Data System (RWCDS) is on track for deployment in 2010. It will use agency standard hardware and software (Corps Water Management System 2.0). The RWCDS will be a tri-node system for redundancy and continuity of operations. All support operations will be managed at the regional level, pooling resources from three USACE districts and the Columbia Basin Water Management Division. A Steering Committee has been established to oversee the RWCDS. The permanent program manager, Troy Fox, has been selected to lead implementation and manage the system as laid out by the Steering Committee.

Data exchange

Appendix F of the 2009 Supplemental Report describes current data exchange procedures. Data exchanged among operational projects and entity agencies may be categorized according to the type of data and the frequency of transmission. Types of data include project data, weather and streamflow data,

inflow forecasts, as well as reports and messages. The frequencies of transmission may be hourly, daily, or monthly.

In addition to the standard reporting, there were additional actions and issues during 2009. These are summarized as follows:

- A BCH CROHMS program which sends data to CROHMS has become unsupported by their IT department. BCH updated the coding of their program to a more supportable programming structure in 2009, and will investigate incorporating the whole functionality into a new data management system in 2010.
- In accordance with Section 3.1C(1) of the 2003 POP, the Entities participated in studies to update the estimated irrigation depletions in the historic streamflow record used for Assured Operating Plan studies. This effort, entitled the “2010 Modified Flows” formally began in August 2009 and is expected to be completed by August 2011. Most of the work will be conducted by staff of the Northwestern Division of USACE, BPA and USBR, with data input from BCH and others. The contractors that produced the 2000 Modified Flows were hired to train agency staff.

Forecasting

There were no changes to any of the forecasting procedures in 2009. The Committee is involved with various Treaty planning studies and models from time to time. These studies and models and associated forecasting requirements are described in Appendix G of the 2009 Supplement Report.

The annual declaration of the “commencement of the spring rise” on Kootenay Lake by the IJC International Kootenay Lake Board of Control (KLBC) has potential operational impacts to both Libby and Duncan operations upstream. The CRTHC prepared and submitted to the CRTOC an objective procedure tool to assist in determining the onset of the Kootenay Lake spring freshet. The procedure is not intended to replace human decision making, but provides guidance and some limited predictive capability on when to expect the freshet to begin.

The CRTOC chairs presented the methodology to the KLBC in October 2009. The KLBC reviewed the proposal but have not yet accepted the procedure due to a difference in interpretation of the term ‘commencement of the spring rise’ on Kootenay Lake. The methodology proposed by the CRTHC is based on the assumption that the term ‘spring rise’ is synonymous with the term ‘spring freshet’ and, as such, refers to the periodic, annual increase in natural, unregulated Kootenay Lake inflows due to snowmelt. The KLBC, however, bases its definition of the spring rise on the rise in Kootenay Lake levels. The KLBC has indicated that there may be a significant timing difference between the beginning of the spring freshet (inflows to Kootenay Lake) and the commencement of spring rise (Kootenay Lake levels) and that the proposed methodology is – in its current form – therefore not suitable.

The CRTOC and CRTHC will follow up with the KLBC in order to better understand the differences in interpretations and to determine whether further resources should be expended to modify the procedure.

Forecast Verification

BC Hydro presented a 2009 forecast verification report for the Columbia River Treaty forecasts at a meeting of the Columbia River Forecast Group on December 15, 2009 in Portland. The presentation included a summary of 2009 climate, hydrology and water supply forecasts. The water supply forecasts and information on the hydrometeorology for the year are presented in the 2009 Annual Report of the Columbia River Treaty by the Entities (p.55 Tables 1M and 1), and will not be repeated here. This section gives a brief overview of the forecasts and focuses on the results of the verification of the Treaty project forecasts and any lessons learned.

The Arrow local drainage is defined as the sum of the Arrow, Revelstoke, and Whatshan basins, while the Arrow total drainage is defined as the sum of the Arrow, Revelstoke, Whatshan, and Mica basins. Arrow local and total forecasts are aggregates of sub-basin forecasts.

For early-season (December) forecasts, total Feb-Jul forecast volumes are disaggregated into monthly volumes using the monthly runoff distribution from the 71-year mean. For consecutive forecast dates, total Feb-Jul volumes, or the residual thereof, are calculated by aggregating BC Hydro's monthly forecast volumes and disaggregated using the monthly runoff distribution from the 71-year mean. January forecasts are naïve (climatology, 71-year mean) forecasts. August forecasts are the difference between Apr-Aug forecasts and the Apr-Jul volume of the disaggregated Feb-Jul forecasts.

2009 Highlights

- Columbia and Kootenay River projects' inflow for the Feb-Jul and Apr-Aug periods were well-below normal (74-80 % of 71-yr Avg.).
- Seasonal runoff for all projects and forecast dates were over-forecast throughout the season, but with the forecast volume generally declining over time and asymptotically approaching what was to become the true value.

- For most forecast dates and projects, the final observations fell outside the - 1 standard error prediction confidence bounds and for many of the forecast dates and projects even outside the - 2 standard error prediction confidence bounds.
- There was a progressive and very strong drying trend through much of the water year. Weather (especially precipitation) between the forecast date and the end of the forecast horizon forms the major source of uncertainty in seasonal water supply forecasts. With the partial exception of some modest and inconsistent prediction skill derived from climate indices (see below), it is necessarily assumed in such water supply models that future precipitation will follow seasonal normals. Hence, if actual precipitation comes in below- (above-) normal, the water supply prognosis will turn out to be an over- (under-) estimate.
- The role played by ENSO climate data in the forecast equations contributed slightly to the over-forecasts. The most accessible and perhaps reliable means for providing intelligence on long-term weather between the forecast issue date and the end of the forecast season is the incorporation of seasonal climate information into the forecast system. Jun-Sep mean values of the Southern Oscillation Index (SOI) and Multivariate ENSO Index (MEI) are employed in the Treaty statistical forecast equations. In Water Year 2009, these values pointed to slightly cold-phase (La Niña) conditions. On average, cool-phase ENSO conditions tend to give higher-than-normal precipitation and lower-than-normal temperatures over winter and spring; the temperature signal is the more consistent of the two. Thus, the climate state information entered into the early-season quantitative statistical forecast process brought the Feb-Sep volume forecasts up slightly. Later in the season, however, it became apparent that although the cool temperatures generally seen in southern BC were consistent with La Niña conditions, very dry conditions also materialized, and these were less consistent with a cool-phase tropical Pacific climate state. It thus appeared at that time that the climate state data entered into the Treaty statistical forecast equations

might slightly overestimate Feb-Sep flow volumes. Finally, following the end of the water year, the official verdict from the Climate Prediction Center was that WY2009 was not, in fact, a La Niña year. Particularly, early-season (i.e., December and January) forecasts were adversely affected by using the climate signal. However, the impact was generally small, being generally on the order 4% of the residual forecast volume (for example, Arrow Dec forecasts) or less.

Climate Change

While not under the mandate of the CRTHC, the agencies that make up CRTHC are all involved in research into the potential impacts of climate change on the water resources in the Pacific Northwest, and are working together to provide a coordinated set of studies across the Columbia River Basin. These studies will be input into water resource management planning across the region, including potentially the CRT 2014/2014 studies. The three main studies will be completed in 2010 and are outlined here for reference.

COLUMBIA RIVER MANAGEMENT JOINT OPERATING COMMITTEE COLUMBIA BASIN STUDY

The River Management Joint Operating Committee (RMJOC) members are coordinating on studying climate change impacts to water resources across the whole of the Columbia basin with the goal of providing consistent incorporation of climate projection information into RMJOC longer-term water management planning studies. The need for a coordinated effort was recognized by the agencies to:

- adopt common dataset (climate and hydrology),
- establish consensus methods for data use, and
- efficiently use limited resources through coordinated development of data and methods.

The project leads include Nancy Stephan from BPA, Seshu Vaddey from USACE Portland District and Levi Brekke from USBR. BCH is an external reviewer of this study. The study began in spring of 2009 and is on schedule to be completed in the summer of 2010.

PACIFIC CLIMATE IMPACTS CONSORTIUM STUDIES

The Pacific Climate Impacts Consortium (PCIC) formed in 2005 with seed funding from the province of British Columbia, BCH and others to create a local centre of excellence in assessing the potential impacts of climate change in the unique geographic and hydroclimatic conditions in B.C. BCH is sponsoring studies to assess changes to the future hydrologic regime in its reservoirs under climate change. Currently in the third year of a four-year research program, the studies examining potential changes to inflows in the Williston, the Columbia and Campbell River watersheds are on schedule to be completed in late 2010.

WESTERN CANADIAN CRYOSPHERIC NETWORK MICA GLACIER STUDY

The Western Canadian Cryospheric Network (WC2N) is a consortium of six Canadian universities, two American universities and government and private scientists who are examining the links between climatic change and glacier fluctuations in western Canada. WC2N is undertaking a study to model changes in glacier extent and glacier runoff in the Mica watershed based on possible future climates. This study was commissioned by BCH to specifically address the deficiencies of the two studies above in capturing the changes to the

glaciers in the Columbia basin and to provide a quasi-independent study to compare to the other study results. Results from this study are expected in mid-2010.

COLUMBIA RIVER TREATY
HYDROMETEOROLOGICAL COMMITTEE

2009 ANNUAL REPORT

**Schedule 1 Changes to the hydrometeorological network
in 2009**

- Porthill, Idaho and Bonners Ferry, Idaho lost their observers. NWRFC is seeking replacement observers and in meantime providing estimates of precipitation data for the sites to BCH for input into the Kootenay Lake water supply forecast. Temperature data, or estimates, for the Porthill station are currently missing.
- Status of 9 potential SNOTEL station closures proposed by NRCS in 2008 undetermined.

<u>Snow Course Site</u>	<u>Period of Record</u>
Dead Horse Grade	1950 – present
Government Corrals	1981 – present
Meacham	1929 - present
New Dutchman #3	1990 – present
Park H.Q. Rev	1943 – present
Hungry Flat	1952 – present
Grayback Peak	1936 – present
Tollgate	1931 – present
Annie Spring REV	1929 - present

- 2 new water temperature sensors were installed at Kootenay River at Fort Steele and Elk River at Fernie in BC at request of USACE Seattle District to support water temperature modelling of Kooconusa Reservoir.

Schedule 2 CRTHC Action Items

Table 1 Outstanding Action Items 2009

Meeting Source	Description	Notes/Updates	Assigned To
OUTSTANDING ACTION ITEMS			
57.2.c.2	Explore options to clarify HGH storage tables used for various uses and modeling.	Peter to follow up. USBR trying to consolidate and standardize to single table (with and without storage) for TSR	Cindy Henriksen Peter Brooks
58.5.c	Peter to pursue putting electronic versions of forecast reports on FTP site	Mtg 59.1.a: Peter to assign someone to give access details to BPA / BCH	Peter Brooks
59.4.a	Stephanie to provide updated list of Environment Canada reference climate stations and core temperature and precip. Stations. Will cross-reference with Treaty station list. Will also include indication if stations are potentially vulnerable		Stephanie Smith
60.4.b	Establish a data working group to address ongoing data issues, document and improve data transfer protocols, and coordinate communication around changes and updates to data management systems.	NWS reps will be Harold Opitz and Kevin Berghoff	All - with Corps as lead agency.
60.4.c	Disaster Recovery plans - Stephanie to determine what, if anything, BC Hydro will do about data recovery in the event of a major system interruption	BCH working on in 2010.	Stephanie Smith
61.4.b	Potential SNOTEL closures in Pac NW. Follow up with RFC. Keep updated by NRCS (Jon Lea)	BCH has no issue with potential station closures	Peter Brooks & David Bright
63.1.a	Investigate monitoring station coverage of upper Columbia by investigating station density vs. hydrologic response		David Bright
63.1.b	Pull together documentation on how suitable monitoring sites have historically been identified by BCH, Env Canada and BC	64: BC MoE has no documentation on site selection criteria	Stephanie Smith

Table 2 Completed Action Items 2009

Meeting Source	Description	Notes/Updates	Assigned To
COMPLETED ACTION ITEMS			
57.3.a	Set up meeting with RFC, COE, BPA and USGS to discuss USGS rating table issue	Meeting delayed due to the fact the USGS to continue providing data through 2006. Still need to meet on this issue. Mtg 59: Deferred to Fall 2006 Mtg 60: USGS Ratings Depot Live. Still a few issues to resolve around timing of updates.	Nancy Stephan
61.2	Streamflow workshop for Fall 2008. Peter has draft requirements for BiOp	changed to Volume forecast workshop in 09	Nancy & Randy
62.7.b	Kootenay Lake Freshet declaration methodology - form technical committee to make a recommendation of method prior to Spring 09 Freshet. Present draft recommendation at the PEB meeting Feb 25.	Frank Weber from BCH developed forecasting methodology and CRTOC presented to IJC/ Kootenay board of control.	Frank Weber, Randy Wortman
62.7.c	Pacific NW RFC briefing on changes to forecast procedures. BPA to keep BCH informed		Brian Kuepper
62.7.f	CRTHMC to collaborate on respective climate change studies. Identify gaps and overlap between methodologies. Inform CRTOC of collaboration.	change to regular agenda item in CRTHC meeting	Doug Smith / Doug McCollor (?) and Nancy Stephan
62.8.c	Include action items in annual reports starting with 2008. Consider adding station performance stats and forecast verification to 2009 report		Stephanie Smith to send completed 2008 actions to Brian
63.1.c	Conduct literature search on monitoring site identification techniques	Paper: Mishra & Coulibaly. "Developments in Hydrometric network design: A review" <u>Reviews of Geophysics</u> , Vol 47, 2009	Frank Weber